

CLEAR

Hazard statements	H226 Flammable liquid and vapour.
Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P233 Keep container tightly closed.</p> <p>P301+P313 IF SWALLOWED: Get medical advice/ attention.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>

Contains	PROPAN-2-OL
----------	-------------

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients3.2. Mixtures

PROPAN-2-OL	3-5%
CAS number: 67-63-0	EC number: 200-661-7
Classification	
Flam. Liq. 2 - H225	
Eye Irrit. 2 - H319	
STOT SE 3 - H336	
2-BUTOXYETHANOL	1-3%
CAS number: 111-76-2	EC number: 203-905-0
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	

The Full Text for all Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures4.1. Description of first aid measures

Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention if any discomfort continues.
Skin contact	Wash with plenty of water.
Eye contact	Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.

CLEAR

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known. But - May cause discomfort if swallowed.
Skin contact	No specific symptoms known. But prolonged or excessively repeated skin contact could lead to removal of natural oils from skin.
Eye contact	No specific symptoms known. Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
----------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.
------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. May explode when heated or when exposed to flames or sparks.
------------------	--

5.3. Advice for firefighters

Special protective equipment for firefighters	Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	No smoking, sparks, flames or other sources of ignition near spillage.
----------------------	--

6.2. Environmental precautions

Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
---------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
-------------------------	--

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8.
-----------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Eliminate all sources of ignition.
-------------------	------------------------------------

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Keep away from heat, sparks and open flame.
---------------------	---

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
---------------------	---

Usage description	See Product Information Sheet & Label for detailed use of this product.
-------------------	---

CLEAR

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters Occupational exposure limits**PROPAN-2-OL**Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³**2-BUTOXYETHANOL**Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

8.2. Exposure controls

Appropriate engineering controls	This product must not be handled in a confined space without adequate ventilation.
----------------------------------	--

Eye/face protection	No specific eye protection required during normal use.
---------------------	--

Hand protection	No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin.
-----------------	---

Other skin and body protection	None required.
--------------------------------	----------------

Respiratory protection	Respiratory protection not required.
------------------------	--------------------------------------

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
------------	---------

Colour	Clear. Blue.
--------	--------------

Odour	Faint Alcoholic.
-------	------------------

pH	pH (concentrated solution): 7.30
----	----------------------------------

Melting point	-5°C
---------------	------

Initial boiling point and range	85°C @ 760 mm Hg
---------------------------------	------------------

Flash point	57°C . Measured using test method, Pensky-Martens closed cup.
-------------	---

Flammability (solid, gas)	Not applicable.
---------------------------	-----------------

Upper/lower flammability or explosive limits	Not applicable.
--	-----------------

Vapour pressure	Not available.
-----------------	----------------

Vapour density	Not available.
----------------	----------------

Relative density	Density=0.992 @ 20°C
------------------	----------------------

Solubility(ies)	Soluble in water.
-----------------	-------------------

Partition coefficient	Not applicable.
-----------------------	-----------------

Auto-ignition temperature	Not applicable.
---------------------------	-----------------

Decomposition Temperature	Not applicable.
---------------------------	-----------------

Viscosity	Not available.
-----------	----------------

CLEAR**9.2. Other information**

Other information None.
Particle size Not applicable.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See sections 10.1, 10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD₅₀ or ATE figures provided by the Raw Material Manufacturer.

Other health effects Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.
ATE oral (mg/kg) 129,988.3

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.
ATE dermal (mg/kg) 100,090.99

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l) 1,009.91

Skin corrosion/irritation

Summary Not applicable.

Serious eye damage/irritation
Summary Not applicable.

CLEAR

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer.
 Larger volumes must be sent for disposal by approved waste contractor. Consign empty container to normal waste.

SECTION 14: Transport information

General 750ml & 5L As supplied, this product is consigned under the Limited Quantities provisions.

14.1. UN number

UN No. (ADR/RID) 1987

UN No. (IMDG) 1987

UN No. (ICAO) 1987

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ALCOHOLS, N.O.S. (isopropanol)

Proper shipping name (IMDG) ALCOHOLS, N.O.S. (isopropanol)

Proper shipping name (ICAO) ALCOHOLS, N.O.S. (isopropanol)

14.3. Transport hazard class(es)

ADR/RID class Class 3: Flammable liquids.

ADR/RID label 3

IMDG class Class 3: Flammable liquids.

ICAO class/division Class 3: Flammable liquids.

Transport labels

14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
 No.

14.6. Special precautions for user

EmS F-E, S-D

Tunnel restriction code (D/E)

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to
 Annex II of MARPOL
 And the IBC Code Not relevant for a packaged product.

CLEAR

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation

Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG: International Maritime Dangerous Goods. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577. GHS: Globally Harmonized System.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures	Calculation Method.
Revision comments	New Evans Logo & EU Address - No change in Product Classification. (Changes made to sections 1+16)
Revision date	01/10/2024
Revision	12
	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness.